



BMD Hip Scan

Data File: bmdhip_os_pub

File Date: 08/13/2007

Structure: Multiple rows per participant

Population: Subsample of OS participants

Participant ID

Variable # 1

Usage Notes: none

Sas Name: ID

Categories: Study: Administration

Sas Label: Participant ID

Hip scan days from randomization

Variable # 2

Usage Notes: none

Sas Name: HIPDAYS

Categories: Clinical Tests: Bone Densitometry
Study: Administration

Sas Label: Hip scan days from randomization

	N	Min	Max	Mean	Std Dev
	17729	-962	3570	1256.4900	1135.95271

Hip scan visit type

Variable # 3

Usage Notes: none

Sas Name: HIPVTYP

Categories: Clinical Tests: Bone Densitometry
Study: Administration

Sas Label: Hip scan visit type

Values		N	%
1	Screening	6,139	34.6%
2	Semi-Annual	3	0.0%
3	Annual	11,578	65.3%
4	Non-Routine	9	0.1%
		17,729	

Hip scan visit year

Visit year for which this BMD scan was collected.

Variable # 4

Usage Notes: none

Sas Name: HIPVY

Categories: Clinical Tests: Bone Densitometry
Study: Administration

Sas Label: Hip scan visit year

	N	Min	Max	Mean	Std Dev
	17720	0	9	3.41275	3.05776

Hip closest to visit within visit type and year

For forms entered with the same visit type and year, indicates the one closest to that visit's target date. Valid for forms entered with an annual or semi-annual visit type.

Variable # 5

Usage Notes: See data preparation document.

Sas Name: HIPVCLO

Categories: Clinical Tests: Bone Densitometry
Study: Administration

Sas Label: Closest to visit within visit type and year

Values		N	%
0	No	19	0.1%
1	Yes	17,710	99.9%
		17,729	



BMD Hip Scan

Data File: bmdhip_os_pub

File Date: 08/13/2007

Structure: Multiple rows per participant

Population: Subsample of OS participants

Hip expected for visit

The BMD scan was expected for this visit. In the CT, BMD was expected for a subsample of participants at Baseline, at Annual Visits 1, 3, 6 and 9, and at Close-Out. In the OS, for a subsample of participants at Baseline and at Annual Visits 3, 6 and 9.

Variable # 6

Usage Notes: none

Sas Name: HIPEXPC

Categories: Clinical Tests: Bone Densitometry
Study: Administration

Sas Label: Expected for visit

Values		N	%
0	No	30	0.2%
1	Yes	17,699	99.8%
		17,729	

Hip scan side

Variable # 7

Usage Notes: none

Sas Name: HIPSDSCN

Categories: Clinical Tests: Bone Densitometry

Sas Label: Side of the Hip Scan

Values		N	%
1	Right side	256	1.4%
2	Left side	17,473	98.6%
		17,729	

Total hip area (cm squared)

Variable # 8

Usage Notes: none

Sas Name: HIPAREA

Categories: Clinical Tests: Bone Densitometry

Sas Label: Area of the Total Hip (cm squared)

N	Min	Max	Mean	Std Dev
17729	21.67	49.75	34.87782	3.31969

Total hip BMC (grams)

Variable # 9

Usage Notes: none

Sas Name: HIPBMC

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMC of the Total Hip (grams)

N	Min	Max	Mean	Std Dev
17729	10.78	62.32	29.38638	5.68803

Total hip BMD (corrected) (g/cm squared)

Variable # 10

Usage Notes: Corrected BMD value is based on recommendations from the UCSF quality assurance report. For details see the Data Preparation document.

Sas Name: HIPBMDCOR

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMD of the Total Hip (corrected) (g/cm sq)

N	Min	Max	Mean	Std Dev
17729	.355	1.419	.84238	.13802



BMD Hip Scan

Data File: bmdhip_os_pub

File Date: 08/13/2007

Structure: Multiple rows per participant

Population: Subsample of OS participants

Hip intertrochanter BMD (g/cm squared)

Variable # 11

Usage Notes: none

Sas Name: HIPINBMD

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMD of the Hip Intertrochanter (g/cm sq)

N	Min	Max	Mean	Std Dev
17729	.411	1.672	.99756	.16776

Hip trochanter BMD (g/cm squared)

Variable # 12

Usage Notes: none

Sas Name: HIPTRBMD

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMD of the Hip Trochanter (g/cm squared)

N	Min	Max	Mean	Std Dev
17729	.228	1.202	.63285	.11406

Hip neck BMD (g/cm squared)

Variable # 13

Usage Notes: none

Sas Name: HIPNKBMD

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMD of the Hip Neck (g/cm squared)

N	Min	Max	Mean	Std Dev
17729	.338	1.467	.71408	.12489

Hip Wards triangle BMD (g/cm squared)

Variable # 14

Usage Notes: none

Sas Name: HIPWDBMD

Categories: Clinical Tests: Bone Densitometry

Sas Label: BMD of the Hip Wards Triangle (g/cm sq)

N	Min	Max	Mean	Std Dev
17729	.104	1.405	.54941	.14821

Hip scanner ID

Variable # 15

Usage Notes: none

Sas Name: HIPSID

Categories: Clinical Tests: Bone Densitometry

Sas Label: Hip scanner ID

Values	N	%
1 Scanner 1	2,241	12.6%
2 Scanner 2	565	3.2%
3 Scanner 3	1,711	9.7%
4 Scanner 4	2,087	11.8%
5 Scanner 5	1,360	7.7%
6 Scanner 6	4,971	28.0%
7 Scanner 7	4,794	27.0%
	17,729	